

KW

×

PERGO[®]

KWALLITY WOODS

FLOORS FOR REAL LIFE



Durability x 2!

Choose a floor that is as good for the interior as it is for the exterior that we all share.

Durability for the long run

At Pergo, durability is not limited to our products. It extends into our production process and influences how we protect our shared environment. To make it simple: When you choose one of our floors, you should feel safe in the knowledge that it has been produced using a minimum of resources.

To minimise our footprint we recycle whenever and whatever we can. 80% of the content of our products consists of wood surplus from the wood industry. We use only renewable wood products such as pine and spruce never exotic woods or wood from rainforests that are threatened with extinction.

We were also the first flooring manufacturer to ever achieve the official Nordic Ecolabel, the Green Swan, certifying that our products are a good environmental choice.

Another environmental advantage of Pergo laminate floors is the high amount of thermal energy that can be extracted when burned at waste incineration plants. We use this property to increase the energy efficiency of our own operations, recycling all wood waste from our milling and sawing processes to heat our production facilities.

Environmentally responsible, beautiful and long-lasting that's Pergo durability.



*Information sur le niveau d'émission de substances volatiles dans les intérieurs, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).



Ertragsbezogener Nachhaltigkeitsbericht nach GRI-Grundregeln






About Kwallity Woods

Kwallity Woods was founded by Pradeep Prakash Gurnani in the year 2009. After successfully running our family ran business in the logistics industry nearly two decades, we embarked on a new journey as we saw the exponential potential and passion in the furnishing industry. We are a channel partner of PERGO, the Belgian specialists in beautiful yet durable laminate flooring and engineered wood flooring. We are a leading wooden flooring specialist based in Mumbai.

Our initial journey started at a prominent location in Khar West, Mumbai, and now we have successfully expanded to Worli and look forward to expand our network through excellent quality products and services. Our experience in business for the past two decades coupled with our strong leadership and strategic execution has provided the foundation on which our business steadily grows in strength and scale today.

WOOD PARQUET



Get to know wood

Wood is a material that offers natural variety in the way it looks and feels. On top of that, it's also easy to change and modify by choosing different surface treatments and finishes. So when you look for a wood floor, there are a lot of aspects to consider.

Do you prefer the smooth looking walnut floor or a ragged look with visible knots and cracks? Is a low-maintenance lacquer surface protection for you, or do you prefer an oiled floor that can be refreshed or repaired easily? And what about bevels and different formats? In our collection you'll find floors to suit a wide range of styles and preferences.


WOOD PARQUET

Choosing a wood floor

When you go looking for a wood floor you're faced with a lot of choices. Because wood is not only a material that offers a wide variety of natural looks, the variety is increased even more by different surface treatments and finishes. In this brochure you will find a wide range of wood designs. Take your time choosing between the different options to find the floor that is right for you. And when you're ready we advice you to visit your nearest dealer to experience your choice first-hand. Because the tactile beauty of a wood floor makes for a great look, but an even greater touch.

Grading

Each tree is unique, and even different parts of the same tree produce different appearances. Knots and grain patterns help define and add character. Some of our products have more character than others, and that is why we have developed a grading system to help you find the floor with the expression you want.




Selected

Wood with knots up to 20 mm; variation in colour and structure.



Accent


Wood with knots up to 50 mm; lively variation in colour and structure.



Lively

Wood with big knots up to 80 mm and cracks; lively variation in colour and structure and a rather rustic appearance.

Structure



Brushed

Brushing the surface of a wood plank accentuates the natural grain structure, and enhances the authentic look and feel of the wood.



Deep brushed

The wood surface is treated with special brushes, brushing down the soft parts between the annual rings. Deep brushing enhances the natural wood feel even more.



Sawcut

The random marks of a saw cut surface really show off the craftsmanship and character of the wood planks, and add a genuine feeling to the room.

WOOD PARQUET

Finish

Wood is a material that truly grows more beautiful with time. And to ensure that you may enjoy your floors for many years to come, our floors are given a protective and caring surface finish. All our floors are ready for use right out of the box, with no extra surface treatment necessary. Choose between two finishes – oil and lacquer – bringing out different qualities in the wood to give them a distinct look. All of our lacquers and oils meet strict international emission norms, so you can enjoy your wood flooring knowing that it was made with respect for the environment.



Extra matt lacquer

Our extra matt lacquer offers the best of both worlds: the look of untreated wood with the performance and low-maintenance of lacquer.



Lacquer

Lacquer makes the floor dirt-repellent, easy to clean, and resistant against water as well as household chemicals. Our lacquer comes in different gloss levels - bright, satin and matt lacquer.



High-quality oil

Oil really puts emphasis on the authenticity of real wood and gives it an extra matt look that ages gracefully and is easy to repair and renew.

Bevels

Bevels define each individual plank, creating the feeling of an authentic wood floor. Our collection features designs with bevels on the longest sides or on all four sides of the plank.



2-way bevel



4-way bevel

Woodspecies

Oak planks have a typical grain structure and a yellow to brown colour.

Iroko planks have a golden colour, with brown straight grain.

Merbau varies widely from orange towards dark reddish brown.

Walnut has a warm brown colour which contrasts with the whitish sapwood.

Wood is a living material. The colour will change naturally over the years. The illustrated patterns and colours are not a full overview of all the different nuances that can appear in a wood floor.

WOOD PARQUET



Pergo wood floors are built as they should be: to last. After all, floors need to withstand quite a lot. Children, accidents and parties are all part of life – which is why Pergo floors are designed with them in mind.

1 Protective finish

7 layers of high quality lacquer or 2 layers of high quality oil provide maximum protection and ensure easy maintenance.

2 Face layer

A carefully selected wood layer, 3.2 mm, that can be sanded 2 – 3 times.

3 Advanced core

The core absorbs the stresses and strains that are put on your floor, and ensures that it remains stable in all conditions.

4 Balanced backing

The backing veneer is made from ecologically certified wood and helps to perfectly balance the boards.

Pergo wood floors consist of 3 layers of wood with the grain running in different directions to reduce the natural swelling and shrinking caused by fluctuations in temperature and humidity. An advanced core of spruce absorbs stress and strain to ensure that your floor remains stable in all conditions.



WOOD PARQUET


In-Range Decors

Gotland

1820 x 190 x 14mm | 3.2 mm surface | 2 way bevel



Sunrise Oak, Plank
W1705 - 04003
6 Panels/pack, 2.075 m²/pack




Bourbon Oak, Plank
W1705 - 04006
6 Panels/pack, 2.075 m²/pack



Ashen Grey Oak, Plank
W1706 - 04004,
6 Panels/pack, 2.075 m²/pack

Bornholm

1820 x 145 x 14mm | 3.2 mm surface | 2 way bevel



Mild Walnut, Plank
W1708-03999
6 Panels/pack, 1.583 m²/pack



Fawn Oak, Plank
W1708-03998
6 Panels/pack, 1.583 m²/pack

Svalbard

2200 x 220 x 14mm
3.2 mm surface | 4 way bevel



Hazel Oak, Plank
W1703 - 03096
4 Panels/pack, 1.936 m²/pack

Värmdö

2200 x 190 x 14mm | 3.2 mm surface



Organic Oak, 3 Strip
W1911 - 04008
6 Panels/pack, 2.508 m²/pack



Toast Oak, 3 Strip
W1911 - 04007
6 Panels/pack, 2.508 m²/pack



Carob Walnut, 3 Strip
W1911 - 04064
6 Panels/pack, 2.508 m²/pack



Natural Merbau, 3 Strip
W1911 - 01366
6 Panels/pack, 2.508 m²/pack

GRADINGS:

Selected, Accent, Lively



Brushed



Deep brushed



Extra matt lacquer



Matt lacquer



Stain lacquer



Bright lacquer



Oil finish

For technical reasons, actual product may differ from printed decor swatches, visit us for hands-on experience.

WOOD PARQUET


On-Request Decors

Gotland

1820 x 190 x 14mm | 3.2 mm surface | 2 way bevel



Daisy Oak, Plank
W1705 - 03884
6 Panels/pack, 2.075 m²/pack



Champagne Oak, Plank
W1705 - 04002
6 Panels/pack, 2.075 m²/pack




Mustard Oak, Plank
W1706 - 04005
6 Panels/pack, 2.075 m²/pack




Charcoal Oak, Plank
W1706 - 03889
6 Panels/pack, 2.075 m²/pack

Bornholm

1820 x 145 x 14mm | 3.2 mm surface | 2 way bevel



Merbau, Plank
W1705 - 03544
6 Panels/pack, 2.075 m²/pack



Brick Walnut, Plank
W1708 - 03997
6 Panels/pack, 1.583 m²/pack



Peanut Oak, Plank
W1708 - 04001
6 Panels/pack, 1.583 m²/pack

Svalbard

2200 x 220 x 14mm
3.2 mm surface | 4 way bevel



Granule Oak, Plank
W1703 - 03790
4 Panels/pack, 1.936 m²/pack

Värmdö

2200 x 190 x 14mm | 3.2 mm surface



Vivid Walnut, 3 Strip
W1911 - 03042
6 Panels/pack, 2.508 m²/pack



Harvest Iroko, 3 Strip
W1911 - 03487
6 Panels/pack, 2.508 m²/pack

GRADINGS:

Selected, Accent, Lively



For technical reasons, actual product may differ from printed decor swatches, visit us for hands-on experience.

ORIGINAL LAMINATE

Ever wondered what laminate is

and what makes Pergo special?


Get into the details here!

The durable choice

Laminate flooring is the perfect combination of design and durability. Thanks to the patented **TitanX™ surface protection**, a Pergo laminate floor will keep its elegant finish year in and year out. TitanX™ is a multilayer technology that includes **protective layers** of aluminium oxide particles, which provides superior resistance to wear and scratching. And with the special **impact layers**, combined with a **high-quality core** material, TitanX™ also provides very high resistance to dropped objects and high-heeled shoes.



- 1 Superior wear and scratch-resistance layer
- 2 Crystal-clear decor
- 3 Excellent impact-resistance
- 4 Moisture-resistant HDF core
- 5 Back stabiliser



Why choose a Pergo floor!



Wear protection

Pergo's patented TitanX™ surface is the best multilayer protective floor finish on the market, providing wear resistance that exceeds normal standards for commercial environments.



Easy installation

Pergo's patented PerfectFold™ 3.0 installation system makes installation faster and easier because you can simply fold the floor into place.



Scratch resistance

The TitanX™ surface has an extra protective layer providing the best scratch and scuff resistance in the market, so your Pergo floor will retain its lustre much longer than other laminate floors.



Water resistance

Pergo's Moisture Resistance System combines moisture resistant core materials with a strong and tight click joint. The result is a product, which is amongst some of the most moisture-resistant floors in the market.



Impact resistance

The unique multilayer construction of our TitanX™ surface together with a dense core material provides very high impact resistance for handling dropped objects and high heels.



High fire resistance

A Pergo floor with TitanX™ surface has a natural high resistance to fire, thanks to its multilayer construction. This, in combination with the core's density allows for faster heat dissipation.



Easier cleaning

A Pergo floor with TitanX™ surface is much easier to clean than ordinary floors. The reason is that the TitanX™ surface is so tightly sealed that dirt simply cannot settle in.



Anti-static

Pergo laminate floors eliminate static electricity. Electrostatic charges generated by Pergo laminate floors are generally very low, but to reduce them even more we have developed a technology to give selected floors permanent antistatic properties throughout the life of the floor.



Hygienic

A Pergo laminate floor makes it easier to maintain a high level of hygiene. Bacteria require nourishment and moisture in order to thrive and the tightly sealed, easy to clean TitanX™ surface makes this impossible. This provides a high level of hygiene naturally, without chemical antiseptics.


ORIGINAL LAMINATE

Beauty beyond looks

There is more to a beautiful floor than meets the eye. That is why Pergo laminate floors not only look authentic, they feel that way too. Our collections feature seven different surface textures that each serve to enhance the authentic impression of your laminate floor.


From the well-worn vintage look to the natural feeling of woodgrain. To allow more fine-tuning of your interior design, our collection also includes different levels of gloss and floors with or without bevels.

Bevels help define each plank, and the shadows they create give your floor an added dimension. To find out what you like, visit your nearest dealer to experience these different options first-hand!



Genuine™ wood, **GW**

A subtle wood structure that follows the wood grain in every detail, an effect that is even more prominent in our Sensation floors. Available in different gloss levels.



Genuine™ rustic, **GR**

A pronounced wood structure that follows the wood grain in every detail, which is highlighted even more in Pergo Sensation floors. Can have cracks, nubs and scraped effects.



Genuine™ sawcut, **GC**

Realistic wood structure with a saw effect.



Genuine™ stone, **GS**

A life-like impression that follows the structure of real stone tiles.



Wood, **WO**

A fine and realistic wood texture, which highlights any kind of wood decor from light to dark wood species. Available in different gloss levels.



Smooth, **SO**

A silky, smooth surface for a softer touch and modern look. Available in different gloss levels.



Antique wood, **AW**

A rustic texture with a vintage feeling.

Structure

WO Wood

SO Smooth

GW Genuine™ wood

GR Genuine™ rustic

GC Genuine™ sawcut

GS Genuine™ stone

AW Antique wood

Gloss

SP Semi polished

SM Silk matt

MA Matt

EM Extra matt

ORIGINAL LAMINATE

public Extreme

On-request range

- Class 34 • AC-6 Grade • TitanX™ • PerfectFold™ 3.0 • Antistatic • Hygienic
- Lifetime warranty* - Residential use: Fade, Wear and Stain

Note: All in range SKUs under Original Excellence except Ebony Oak (L1211-01818) can be developed in public extreme on request.

original Excellence

- Class 33 • AC-5 Grade • TitanX™ • PerfectFold™ 3.0 • Antistatic • Hygienic
- Lifetime warranty* - Residential use: Fade, Wear and Stain



1200 x 190 x 8 mm

Vineyard Oak, Plank
L0201-03366** L0241-03366***
Classic Plank
7 Panels/pack, 1.596 m²/pack
GW / SM




1200 x 190 x 8 mm

Theromotreated Oak, Plank
L0201-01803** L0241-01803***
Classic Plank
7 Panels/pack, 1.596 m²/pack
GW / SM




1200 x 190 x 8 mm

Merbau, Plank
L0201-01599** L0241-01599***
Classic Plank
7 Panels/pack, 1.596 m²/pack
SO / SP



1200 x 190 x 8 mm

Walnut, 3 Strip
L0201-01791** L0241-01791***
Classic Plank
7 Panels/pack, 1.596 m²/pack
SO / SP



1200 x 190 x 8 mm

Mountain Grey Oak, Plank
L0201-01802** L0241-01802***
Classic Plank
7 Panels/pack, 1.596 m²/pack
GW / SM



1200 x 190 x 8 mm

Natural Oak, Plank
L0201-01804** L0241-01804***
Classic Plank
7 Panels/pack, 1.596 m²/pack
GW / SM



1200 x 190 x 8 mm

Silver Oak, Plank
L0201-01807** L0241-01807***
Classic Plank
7 Panels/pack, 1.596 m²/pack
GW / SM



1200 x 123.4 x 8 mm

Ebony Oak, Plank
L1211-01818 Plank 4V
12 Panels/pack, 1.777 m²/pack
SO / SP

living Expression

VERSAILLES

- Class 32 • AC-4 Grade • TitanX™ • Uniclic • Antistatic • Hygienic
- 25 years warranty* Residential use: Fade, Wear & Stain
- Aqua Safe (5 years water resistance warranty, under residential use)



Versailles Grey
L0342-04148
Pattern Tile 4V
4 Panels/ pack, 1.901 m²/ pack
GW / SM



Versailles Natural
L0342-04150
Pattern Tile 4V
4 Panels/ pack, 1.901 m²/ pack
GW / SM



Versailles Brown
L0342-04151
Pattern Tile 4V
4 Panels/ pack, 1.901 m²/ pack
GW / SM



Versailles Dark Brown
L0342-04152
Pattern Tile 4V
4 Panels/ pack, 1.901 m²/ pack
GW / SM



*Commercial warranty on request.
For technical reasons, actual product may differ from printed decor swatches, visit us for hands-on experience.



sensation

Irresistibly **water-resistant**

Pergo Sensation takes laminate flooring to a whole new level – even when it comes to water resistance. No more worrying about getting water on the floor, here is the perfect alternative for kitchens, bathrooms or hallways!

The new Pergo Sensation floors are not only designed to look great, they are also innovative when it comes to performance. With the brand new AquaSafe technology your new laminate floor is now protected against water like never before!

The surface protection of our new Sensation floors extends all the way into the bevels to create a fully closed surface. In addition, a water repellent coating on the plank edges ensures that water cannot penetrate the floor. Being water-resistant, a Sensation floor is also hygienic. Dirt – just like water – simply stays on the surface and can be wiped away easily. So it's safe to say that in terms of design as well as performance, the new Pergo floors are nothing short of a sensation!





living Expression



- Class 32 • AC-4 Grade • TitanX™ • PerfectFold™ 3.0 • Antistatic • Hygienic
- 25 years warranty* - Residential use: Fade, Wear and Stain • AquaSafe (10 years water resistance warranty, under residential use)

Note: Sensation SKU's can also be developed in Original Excellence on request.

8 mm Thickness



1380 x 190 x 8 mm

Manor Oak, Plank
L0331-03370 Modern Plank 4V
7 Panels/pack, 1.835 m²/pack
GR / SM



1380 x 190 x 8 mm

Farmhouse Oak, Plank
L0331-03371 Modern Plank 4V
7 Panels/pack, 1.835 m²/pack
GR / SM



1380 x 190 x 8 mm

Modern Danish Oak, Plank
L0331-03372 Modern Plank 4V
7 Panels/pack, 1.835 m²/pack
GW / SM



1380 x 190 x 8 mm

Village Oak, Plank
L0331-03375 Modern Plank 4V
7 Panels/pack, 1.835 m²/pack
GW / EM

9 mm Thickness



1380 x 190 x 9 mm

Stockholm Oak, Plank
L0339 - 04295 Modern Plank 4V
6 Panels/pack, 1.573 m²/pack
GW / MA




1380 x 190 x 9 mm

Riverside Oak, Plank
L0339 - 04301 Modern Plank 4V
6 Panels/pack, 1.573 m²/pack
GW / MA



1380 x 190 x 9 mm

Barnhouse Oak, Plank
L0339 - 04307 Modern Plank 4V
6 Panels/pack, 1.573 m²/pack
GR / MA



1380 x 190 x 9 mm

Meadow Oak, Plank
L0339 - 04309 Modern Plank 4V
6 Panels/pack, 1.573 m²/pack
GW / SM



1380 x 190 x 9 mm

Estate Oak, Plank
L0339-04313 Modern Plank 4V
6 Panels/pack, 1.573 m²/pack
GW / SM



1380 x 190 x 9 mm

Weathered Pine, Plank
L0339 - 04315 Modern Plank 4V
6 Panels/pack, 1.573 m²/pack
GW / MA



1380 x 190 x 9 mm

Tasmanian Oak, Plank
L0339 - 04317 Modern Plank 4V
6 Panels/pack, 1.573 m²/pack
WO / MA

*Commercial warranty on request.


For technical reasons, actual product may differ from printed decor swatches, visit us for hands-on experience.

living Expression

- Class 32 • AC-4 Grade • TitanX™ • PerfectFold™ 3.0 • Antistatic • Hygienic
- 25 years warranty* - Residential use: Fade, Wear and Stain

Note: All SKU's with code L0323-XXXXX can also be developed in Original Excellence on request.

Long Plank 4V format



2050 x 205 x 9.5 mm

Chocolate Oak, Plank
L0323-01754 Long Plank 4V
6 Panels/pack, 2.522 m²/pack
GW / SM



2050 x 205 x 9.5 mm

European Oak, Plank
L0323 - 01756 Long Plank 4V
6 Panels/pack, 2.522 m²/pack
GW / MA



2050 x 205 x 9.5 mm

Burnt Oak, Plank
L0323-01757 Long Plank 4V
6 Panels/pack, 2.522 m²/pack
GW / SM



2050 x 205 x 9.5 mm

Classic Beige Oak, Plank
L0323-03359 Long Plank 4V
6 Panels/pack, 2.522 m²/pack
GR / SM



2050 x 205 x 9.5 mm

Royal Oak, Plank
L0323-03360 Long Plank 4V
6 Panels/pack, 2.522 m²/pack
GR / SM



2050 x 205 x 9.5 mm

Vintage Oak, Plank
L3123-03567 Long Plank 4V
6 Panels/pack, 2.522 m²/pack
GR / SM

Classic Plank 4V format



1257 x 190.5 x 8 mm

Rustic Oak, Nature
L0336-04167 Classic Plank 4V
9 Panels/pack, 2.155 m²/pack
GR / MA



1257 x 190.5 x 8 mm

Royal Dark Walnut
L0336-04169 Classic Plank 4V
9 Panels/pack, 2.155 m²/pack
GW / SM



1257 x 190.5 x 8 mm

Authentic Oak, Light Grey
L0336-04170 Classic Plank 4V
9 Panels/pack, 2.155 m²/pack
GR / SM



1257 x 190.5 x 8 mm

Warm Teak, Plank
L0336 - 04171 Classic Plank 4V
9 Panels/pack, 2.155 m²/pack
GW / SM



1257 x 190.5 x 8 mm

Royal Light Walnut
L0336-04172 Classic Plank 4V
9 Panels/pack, 2.155 m²/pack
WO / SM



1257 x 190.5 x 8 mm

Brownie Oak
L0336-04173 Classic Plank 4V
9 Panels/pack, 2.155 m²/pack
GR / MA

*Commercial warranty on request. For technical reasons, actual product may differ from printed decor swatches, visit us for hands-on experience.

DOMESTIC extra

• Class 32 • AC-4 Grade • TitanX™ • 20 years warranty* - Residential use: Fade, Wear and Stain



1200 x 190 x 8 mm

Harmony Oak, Plank
L0701-1459
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Authentic Oak, Plank
L0701-1462
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

European Walnut, 3 Strip
L0701-1791
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

African Oak, Plank
L0701-1818
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Classic Oak, Plank
L0701-1824
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Pecan, Plank
L0701-2123
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Smoked Oak, Plank
L0701-2135
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Italian Walnut, Plank
L0701-2136
7 Panels/pack, 1.596 m²/pack



1288 x 196 x 8 mm

Red Oak, Plank
L0499-2200
8 Panels/pack, 2.02 m²/pack



1200 x 190 x 8 mm

Spanish Oak, Plank
L0701-2254
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Amber Oak, Plank
L0701-2259
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Walnut, 2 Strip
L0701-1471 Classic Plank
7 Panels/ pack, 1.596 m²/ pack



1200 x 190 x 8 mm

Elegant Oak, Grey
L0701-4280 Classic Plank
7 Panels/ pack, 1.596 m²/ pack

*Commercial warranty on request.
For technical reasons, actual product may differ from printed decor swatches,
visit us for hands-on experience.

VIBRANCE

• Class 32 • AC 4 Grade • Uniclic • 20 years warranty*
Residential use - Fade, Wear & Stain

Retail Range



1261 x 192 x 8 mm

Burley Oak
BYPVIB00400 Classic Plank
9 Panels/pack, 2.179 m²/pack



1261 x 192 x 8 mm

Superior Oak
BYPVIB00416 Classic Plank
9 Panels/pack, 2.179 m²/pack



1261 x 192 x 8 mm

Silver Ash
BYPVIB00420 Classic Plank
9 Panels/pack, 2.179 m²/pack



1261 x 192 x 8 mm

Merbau Select
BYPVIB00547 Classic Plank
9 Panels/pack, 2.179 m²/pack



1261 x 192 x 8 mm

Acacia Dark
BYPVIB00548 Classic Plank
9 Panels/pack, 2.179 m²/pack



1261 x 192 x 8 mm

Acacia Chocolate
BYPVIB00549 Classic Plank
9 Panels/pack, 2.179 m²/pack

Project Range



1261 x 192 x 8 mm

Borneo Merbau
BYPVIB00243 Classic Plank
9 Panels/pack, 2.179 m²/pack



1261 x 192 x 8 mm

Château Oak
BYPVIB00409 Classic Plank
9 Panels/pack, 2.179 m²/pack



1261 x 192 x 8 mm

Prestige Oak
BYPVIB00412 Classic Plank
9 Panels/pack, 2.179 m²/pack



1261 x 192 x 8 mm

Select Walnut
BYPVIB00415 Classic Plank
9 Panels/pack, 2.179 m²/pack



1261 x 192 x 8 mm

Natural Oak
BYPVIB00455 Classic Plank
9 Panels/pack, 2.179 m²/pack



1261 x 192 x 8 mm

Acacia Smoked
BYPVIB-00550 Classic Plank
9 Panels/pack, 2.179 m²/pack



1261 x 192 x 8 mm

Siam Teak
BYPVIB00551 Classic Plank
9 Panels/pack, 2.179 m²/pack


*Commercial warranty on request.
For technical reasons, actual product
may differ from printed decor swatches,
visit us for hands-on experience.



Fast & easy

installation with PerfectFold™ click system

Use the method that works best for you!



Drop down

The ideal method for quickly installing a large area. Click the plank at the long side joint, slide it until it meets the end of the previously installed plank, and press down.



Insert horizontally

Unlike many other brands, Pergo laminate floors can also be inserted horizontally. A very handy option for places where it is difficult or impossible to tilt the planks (when installing the last row of planks, or under door frames and radiators).



Angle

If you prefer, Pergo offers a third option for installing your new laminate floor. Simply angle and click the planks together at the short end.

Your floor is just a click away

Formats

	Panel, mm			Packages			
	Length	Width	Thickness	Panels/pack	m2/pack	Pack/pallet	m2/pallet
public Extreme							
L0101-xxxx Classic Plank	1200	190	9	6	1.368	48	65.66
original Excellence							
L0201-xxxx Classic Plank	1200	190	8	7	1.596	48	76.61
L0223-xxxx Long Plank 4V	2050	205	9.5	6	2.522	44	110.95
L0231-xxxx Modern Plank 4V - Sensation	1380	190	8	7	1.835	48	88.08
living Expression							
L0301-xxxx Classic Plank	1200	190	8	7	1.596	48	76.61
L0323-xxxx Long Plank 4V	2050	205	9.5	6	2.522	44	110.95
L0339-xxxx Modern Plank 4V-Sensation	1380	190	9	6	1.573	64	100.68
L0331-xxxx Modern Plank 4V-Sensation	1380	190	8	7	1.835	48	88.08
L0336-xxxx Classic Plank 4V	1257	190.5	8	9	2.155	48	103.44
Versailles							
L0342-xxxx Pattern Tile 4V	1200	396	8	4	1.901	52	98.85
domestic Extra Uniclic							
L0701-xxxx Classic Plank	1200	190	8	7	1.596	60	95.76
Vibrance							
BYPVIB-xxxx Classic Plank	1261	192	8	9	2.179	52	113.31
Universal							
PU-xxxx Classic Plank	1288	196	8	8	2.02	60	121.2

Technical guide

Features		public Extreme	original Excellence	living Expression	domestic Extra Uniclic
TitanX™		•	•	•	•
Scratch Resistance		Very high	Very high	High	High
Moisture Resistance		Very high	High	High	Medium
PerfectFold™ 3.0		•	•	•	–
Antistatic		•	•	•	•
Hygienic		•	•	•	•
Environmental label PEFC		•	•	•	•
Environmental label Nordic Ecolabel		•	•	•	•
Triple Warranty		Lifetime	Lifetime	25 years	20 years
Technical		Standard			
Class of use	EN 13329	34	33	32	32
Fire classification	EN 13501	BF-s1	BF-s1	CF-s1	CF-s1
Formaldehyde emission	EN 717	E1	E1	E1	E1
VOC emission	agBB/DIBt	•	•	•	•
Generic anti-microbial effect	JIS Z 2801	> 99%	> 99%	> 99%	> 99%
Wear Resistance	EN 13329	AC6	AC5	AC4	AC4
Impact Resistance	EN 13329	IC4	IC3	IC2	IC2
Resistance to Castor Chair	EN 13329 (class 34)	No damage	–	–	–
Resistance to Castor Chair	EN 13329	No damage	No damage	No damage	No damage
Slip Resistance	EN 14041	Class DS	Class DS	Class DS	Class DS
Thermal Resistance	EN 12667	0,07 m² K/W	0,07 m² K/W	0,06 m² K/W	0,06 m² K/W
Body Voltage	EN 1815	<2kV (antistatic)	<2kV (antistatic)	<2kV (antistatic)	<2kV (antistatic)



INCIZO  [®]
PATENTED TECHNOLOGY




PGINCP(-)
2150 x 13 x 48 mm
(see matching matrix for correct art no.)

5 perfect finishes in 1


Pergo 5-in-1 offers different moulding solutions for different parts of your floor, all wrapped up in one handy package. The mouldings match your floor perfectly in colour as well as in texture, and the all-in-one solutions provide a seamless result. The surface is a wear and scratch-resistant laminate. The core consists of HDF and the bottom is made of plastic. With the patented Incizo[®] solution, you can simply cut the moulding to the shape you need. Suitable for flooring heights between 7 and 10 mm.



T-moulding
From laminate to laminate




Carpet transition
From laminate to carpet



Hard surface reducer
From laminate to ceramic, vinyl or linoleum



End moulding
Finishing up to threshold, sliding doors, etc



Stair nose moulding, flush
For a flush finish on stair treads






Stair nose moulding
For a step down from a floating floor, e.g. at the top of the stairs or a step down in a room



The Incizo[®] subprofile is required for stair application and has to be ordered separately.
NEINCPBASE (on request)



Stair nose aluminium (on request)
Fits to flooring thickness of 7 - 16 mm, W = 23 mm, L = 2.7 m.
PGSTPSILV, silver.
Surface: aluminium.



Wallbase, straight
PGSKR(-), 2400 x 14 x 58 mm
PGPSKR(-), 2400 x 14 x 77 mm (on request)
See matching matrix for correct art no.

Colour matched.
Surface: wear and scratch-resistant laminate.
Core: MDF.



Combi moulding, aluminium (on request)
PGPRSILV, silver

T-moulding and reducer in one. Plastic bottom rail.
Suitable for height differences of 0 - 12.3 mm.
1860 x 47 mm, H: 10 mm (uninstalled).
Colour: silver. Surface: aluminium.



End moulding, aluminium (on request)
PGENPSILV, silver

Fits to flooring thickness of 6 - 10 mm.
2700 x 25 mm.
Colour: silver. Surface: aluminium.

Aqua accessories

For wet area use with Pergo Sensation floors



Aqua Sealant

PGKITTRANSP
310 ml. A high-quality, transparent and elastic one-component silicone that creates an invisible and waterproof finishing around wallbases, mouldings, transitions, door frames, etc.



Foamstrip

NEFOAMSTRIP20
20 m x 10 mm. PE foam expansion joint filler. Serves as an elastic filler of all dilatation gaps around the floor perimeter. Requires sealing with Aqua Sealant.

Maintenance

The tightly sealed TitanX™ surface prevents dirt from taking hold, making Pergo laminate floors easy to clean. Our high-quality, ergonomically designed original maintenance accessories make it even easier to keep your floor looking fresh for longer. To maintain the lustre of a Pergo floor, avoid using regular cleaning products such as soaps and detergents as these will form a film on the surface. Pergo's special all round cleaner removes dirt without leaving a film if used correctly.



All round Floor Cleaner
PGCLEANALL1000

Specially developed for cleaning laminate, wood and vinyl flooring. Ideal for removing dirt, grease spots and heel marks, as well as for daily cleaning.



Repair wax
PGREPAIR

Repair the colour of damaged planks quickly and easily with wax in colours covering the Pergo wood palette. Contains 1 melting knife, 1 comb, 7 wax blocks. For more information on how to mix colours please visit pergo.com

The world's most preferred flooring



KW

K W A L L I T Y W O O D S

Shop No. 9
Pathan Chawl
Dr. E. Moses Road
Worli
Mumbai-400018

Shop No. 4
Bandra Calvery CHSL
Dr. Ambedkar Road
Khar (W)
Mumbai-400052

🌐 kwallitywoods.com ✉ kwallitywoods@gmail.com

☎ +91 9821240283 ☎ +91 9804403786